Nutzerzertifikat verwenden

In diesem Artikel erklären wir Ihnen beispielhaft, wie Sie ihr Nutzerzertifikat verwenden und digitale Signaturen überprüfen können.

Zertifikat in E-Mail Client importieren

Um E-Mail Nachrichten digital signieren oder verschlüsseln zu können, muss das Nutzerzertifikat ih Ihr E-Mail Programm importiert werden. Im folgenden ist dies beispielhaft mit dem E-Mail Program Thunderbird dargestellt.



Last update: 17.01.2023 13:22

docs:dfnpki:client-usage https://doku.rz.hs-fulda.de/doku.php/docs:dfnpki:client-usage

<u>F</u> ile	Edit View Go Message Events and Tasks	s <u>T</u> ools <u>H</u> elp	Eile	e <u>E</u> dit <u>V</u>	ew <u>Go</u> <u>M</u> essage Events and Tasks	<u>T</u> ools <u>H</u> elp		
×	sven.reissman 🔞 Account Se 🗙		\boxtimes	DB sver	n.reissman			
	Seven.reissmail	S/MME Personal certificate for digital signing: Personal certificate for encryption: Personal certificate for encryption: Personal certificate for encryption: Personal certificate for encryption: Personal certificates S/MIME Security Devices Default settings for sending messages Atl6:7E:82-CE:F3:81:7E:28:81:95:58:A2 Personal certificates STREET=Leipziger Straße 123 S8:A2 NT Vereniging,C=NL		© Sver ✓ Es Sver Sve	Account Sr X Accou	S/MIME Personal certificate for digital signing: Sven Reissmann [55:D7:BC:BA:16:7E:B2:CE:F3 Personal certificate for encryption: Manage S/MIME Certificates S/MIME Certificate S/MIME Sect Default settings for sending messages Without end-to-end encryption the contents of your email provider and to mass surveillance. Disable encryption for new messages pedify a certificate for other people to use when they se uwant to use the same certificate to encrypt & decrypt ano ris content was not changed: Encryptice meet default.	E Select Cleat Select Cleat urity Devices messages are easily exposed messages sent to you? No Yes No Yes Stagets are arways stigned by	ar ar d to
		Cancel OK		st Ac	d-ons and Themes	✓ Sign unencrypted messages		
			\$					
	((*))	Unread: 0	⊬	((+))				Unread: 0
File	Edit View Go Message Events and Tasks	Tools <u>H</u> elp	1					
	sven.reissman 🔞 Account Se 🗙							
2	✓ ℝ sven reissmann@rz hs-fulda de	S/MIME						
	Server Settings	Personal certificate for digital signing:						
	Copies & Folders	Sven Reissmann [55:D7:BC:BA:16:7E:82:CE:F3:E Select Clear						
8	Composition & Addressing	Perconal certificate for encryption:						
=8	Junk Settings	Sunn Deiremann (55:D7:BC:BA:16:7E:92:CE:E2:E Select						
	Synchronization & Storage	Sven Keissmann [SS:D7:DC:DA: 10:7E:02:CE:F3:E Select Clear						
	End-To-End Encryption	Manage S/MIME Certificates S/MIME Security Devices						
	Return Receipts							
		Default settings for sending messages						
		Without end-to-end encryption the contents of messages are easily exposed to						
		your email provider and to mass surveillance.						
		 Disable encryption for new messages 						
		Enable encryption for new messages						
		You will be able to disable encryption for individual messages.						
		the time of the solution of the specific method and the sanges.						
	Account Actions ∨	A digital signature allows recipients to verify that the message was sent by you						
		and its content was not changed. Encrypted messages are always signed by						
	Thunderbird Settings	default. 🖌						
	🖨 Add-ons and Themes	✓ Sign unencrypted messages	l					
\$								
1			11					
⊬	((+))	Unread: 0						



E-Mail digital signieren

Wenn Sie in Thunderbird eine E-Mail verfassen, sehen Sie am oberen Rand des Fensters Funktionen zum digitalen signieren oder verschlüsseln der E-Mail.

<u>F</u> ile <u>E</u> dit <u>V</u> iew O <u>p</u> t	ions Se <u>c</u> urity <u>T</u> ools <u>H</u> elp								
🔊 Send 🛛 🔏 Encrypt	🗊 S/MIME 🔽 🔊 Spelling 🗸 🐇 S	Save ∽ 🛛 🖗 Attach ∽ 🎽 🗏 CardBook							
From	<u>O</u> penPGP ✓ <u>S</u> /MIME	Is-fulda.de> sven.reissmann@rz.hs-	fuldə.de v Cc Bcc »						
То	<u>E</u> ncrypt								
<u>S</u> ubject	✓ Digitally Sign								
HS∽	View Certificates Of Recipients		Variables Vother Variables						
Sehr geehrte Damen ur	nd Herren,								
dies ist ein Test.									
Viele Gruesse, Sven Reissmann.									
 Sven Reissmann Bereichsleitung Infrastruktur									
Hochschule Fulda University of Applied Sciences Rechenzentrum Leipziger Straße 123 D-36037 Fulda, Germany									
Phone: [+49] (0)661 9640-1310 E-Mail: sven.reissmann@rz.hs-fulda.de									
Diese E-Mail enthält vertrauliche und/oder rechtlich geschützte Informationen. Wenn Sie nicht der richtige Adressat sind oder diese E-Mail irrtümlich erhalten haben, informieren Sie bitte sofort den Absender und löschen Sie diese E-Mail. Das unerlaubte Kopieren sowie die unbefugte Weitergabe dieser E-Mail und der darin enthaltenen Informationen sind nicht gestattet.									

Digitale Signatur überprüfen

Wenn Sie die Echtheit einer digital signierten E-Mail prüfen möchten, beachten Sie die folgenden Indikatoren.

Eile	Eile Edit View Go Message Events and Tasks Tools Help						E	Elle Edit View Go Message Events and Tasks Tools Help								
	Inbox - sven.reissmann@r							😡 🛛 Inbox - sven.reissmann@r								
8	🖾 Get Messages \vee 🖉 Write 🖾 Chat 🗐	Address Book	⑦ Tag ∽ 🔤 ili Quick Filte	er	= <u>&</u> CardBo	iok 🧏 🗄		8 8	🗟 Get Messages \vee 🖉 Write 👒 Chat	Address Book	⊘ Tag ∨ 🗍 🖁 Quick Filte	er	= <u>&</u> CardBoo	ok 🧏 🗏		
	Folders		88 🕫 🛛	P Filter these messa	iqes <ctrl+shift+k></ctrl+shift+k>			E Fo	Folders	··· 🖉 🖄 😭	-2 A 🗸 I	P Filter these mess	ages <ctrl+shift+k></ctrl+shift+k>			
a	∨ 🔀 sven.reissmann@rz.hs-fulda.de	Έ Ω 0	Subject	20	Correspondents	e ~	R,	a ~	🗸 🔀 sven.reissmann@rz.hs-fulda.de	Έ τ θ	Subject	20	Correspondents	0 ^ 5		
	😑 Inbox (82)	습	Test Signiert	O	Marcel Jordan	ø		0	🔁 Inbox (90)	合	Test Verschlüsselt	٥	Marcel Jordan	¢		
Q	Drafts						1	9	📧 Drafts	合	Test Signiert	0	Marcel Jordan	d)		
=8	Work In Progress							=8	Work In Progress							
									✓ Sent							
	> Marchives								> III Archives							
	Trash (10)								Trash (10)							
	Unasin (10)						$\overline{}$			👃 Train ham	🕇 Train spam 🖣 Repl	v 🕫 Forward 🕅 Arc	hive 💩 Junk 📾 De	lete More v		
							2									
	From Marcel Jordan 🙂									From Marcel Jordan (9)						
		To Sven Reissmann (9 11:27 +0100								To Sven Reissmann (9 11:28 +010						
		Subject Test Signiert S/MIME &								Subject Test Verschlüsselt						
	Message Security - S/MIME										Message Security - S/MIME					
		😣 Message Is Signed								Q Message Is Signe	d					
	Mit freundliche This message includes a valid digital signature. The message has not							Mit freundlic	This message includes	e. The message has r	not					
		Marcel Jordan	been altered since it	was sent.						Marcel Jordan	been altered since it w	as sent.				
		Hochschule Ful Leipziger Stra	G Signed by: Marcel J	ordan						Hochschule Fu Leipziger Str	Signed by: Marcel Jo	rdan				
		D-36037 Fulda,	Email address: mar	cel.jordan@rz.hs-fulda	de					D-36037 Fulda	Email address: marc	el.jordan@rz.hs-fulda.	de			
		Tet: #49 (0)00	Certificate issued by	DFN-Verein Global	ssuing CA					1et: #49 (0)0	Certificate issued by:	DFN-Verein Global Is	suing CA			
					View Signature Ce	ertificate							View Signature Certi	ficate		
			Message Is Not En	crypted							A Message Is Encry	roted				
ŵ			This message was no	t encrypted before it w	as sent. Information	n sent		193			This message was end	r rvnted before it was se	nt to you Encryption			
			over the Internet with	hout encryption can be	seen by other peopl	le while					makes it very difficult	for other people to vie	w information while it	is		
←	(0)		in transit.			e	^	← ((o)	0)		traveling over the netv	vork.		ine 🔨		
~ 感	(0)		This message was no over the Internet with in transit.	ot encrypted before it w hout encryption can be	as sent. Informatior seen by other peop	n sent le while e	^	\$ (∞)	o)		This message was enc makes it very difficult i traveling over the netw	rypted before it was se for other people to vie vork.	nt to you. Encryption w information while it	is		

From: https://doku.rz.hs-fulda.de/ - **Rechenzentrum**

Permanent link: https://doku.rz.hs-fulda.de/doku.php/docs:dfnpki:client-usage



Last update: 17.01.2023 13:22